


# **PUBCO PRODUCT LISTING**

June 2019

## **PUBCO FLUSH VALVES FOR TANK FED SYSTEMS**

This product listing gives an outline of the products manufactured by Pubco. There are individual brochures for each valve giving dimensions, drawings and possible configurations.

### **CONCEALED SINGLE-FLUSH VALVE MODEL B4-SF**



Direct push-button operated flushing valve.


Pubco flush valves were manufactured in Australia and have been designed to provide many years of reliable operation. It is made from best quality materials with few replacement parts required.

The valve castings are all bronze and the working brass components are DR brass or 304 grade stainless steel.

Pressure ranges are 30 to 300 kPa static pressure with pipe work to provide a minimum flow pressure of 24 kPa.

Inlet and outlet connections are 40mm nominal.

**HYDRAULICALLY OPERATED  
CONCEALED SINGLE-FLUSH VALVE  
MODEL B4H-SF**



**Hydraulically-Operated**

*Ease of operation and flexibility in push button position.*

The push button and flange are all brass and bright chrome plated.

## HYDRAULICALLY OPERATED CONCEALED DUAL-FLUSH VALVE MODEL B4H-DF



Standard Buttons



Special Larger Buttons



### Hydraulically-Operated

*Ease of operation and flexibility in push button position.*

The front buttons are all brass, bright chrome plated, and the front panel is T304 stainless steel with No.4 polish satin finish.

## **EXPOSED SINGLE-FLUSH VALVE MODEL B1-SF**



**Handle operated flushing valve.**

*Ease of operation and can generally be fitted to any flusherette installation with no pan or pipe work modification required.*

## **EXPOSED DUAL-FLUSH VALVE MODEL B1-DF**



**Handle and button operated flushing valve.**

*Ease of operation and can generally be fitted to any flusherette installation with no pan or pipe work modification required.*

The valve was available with a number of different button sizes and handle configurations.

# CONCEALED SINGLE-FLUSH VALVE FOOT PEDAL OPERATED MODEL B1-SF FPO

Manually  
Operated



Foot Pedal and Flange



Hydraulically  
Operated



**Foot pedal operated flushing valve.**

*Hygienic operation. Generally can be fitted to any flusherette installation with no pan or pipe work modification required.*

All spare parts are available.